What is claimed is:

- 1. A solid fabric softening component comprising
 - a) a clay;
- 5 b) at least 5% of a surfactant system;
 - c) at least 15% by weight of a solid carrier material;
 - d) a flocculating agent.
- 2. A component according to claim 1 whereby the clay and flocculating are in an intimatemixture with one another.
 - 3. A component according to claim 1 or 2 whereby the clay, flocculating agent, surfactant system and carrier material are in an intimate mixture with one another.
- 4. A component according to any preceding claim wherein the carrier material comprises an aluminosilicate builder and/ or a phosphate salt builder, which is preferably present at a level of from 15% to 60% by weight of the component.
- 5. A component according to any preceding claim wherein the carrier material comprises an inorganic carbonate salt which is preferably present at a level of from 10% to 60% by weight of the component.
 - 6. A component according to any preceding claim wherein the surfactant system is present at a level of from 10% to 70% by weight and comprises at least an anionic sulphonate surfactant or an anionic sulphate surfactant.
 - 7. A component according to any preceding claim a nonionic surfactant system comprising, preferably comprising at least one alkoxylated alcohol surfactant, preferably at least two alkoxylated alcohol surfactants.

25

1 5

10

15

20

25

30

- 8. A composition according to any preceding claim wherein a flocculating agent comprises a polyethylene oxide of an average molecular weight from 150,000 to 3,000,000.
- 9. A composition according to any preceding claim wherein the clay is present at a level of from 5% to 60% by weight, preferably comprising a smectite clay.
 - 10. A component according to any preceding claim comprising at least 0.1% by weight of a brightener.
 - 11. A component according to any preceding claim in the form of a spray-dried particle, agglomerate or extrudate.
 - 12. A component according to any preceding claim comprising at least 5% by weight of water.
 - 13. A component according to any preceding claim comprising a fabric care agent selected from the group comprising soil release polymers, cellulosic polymer, dye transfer inhibitors, cationic softeners, or mixtures thereof.
 - 14. A component according to any preceding claim comprising a carbonate salt and a water-swellable disintegrant or an acidic compound capable of reacting with a carbonate to produce effervescence, preferably being a carboxylic acid, or mixtures thereof.
 - 15. A component/according to any preceding claim comprising a mixture of clays.
 - 16. A component according to any preceding claim whereby the clay, flocculating agent, surfactant/system and carrier material are in an intimate mixture with on another.
 - 17. A process for making the component according to any preceding claim comprising the steps of first mixing the clay and the flocculating agent to form an intimate mixture

5

and subsequently mixing the intimate mixture with the surfactant system and the carrier material.

- 18 A process for making the component according to any of claims 3 to 16 comprising the steps of first mixing the flocculating agent, the surfactant system or part thereof and/ or the carrier material or part thereof to form an intimate mixture and subsequently mixing the intimate mixture with the clay and optionally the remaining part of the surfactant system and/ or the remaining part of the carrier material.
- 19. A detergent composition comprising the component of any of claims 1 to 16, preferably being in the form of a tablet or bar or being a granular composition.